ELSEVIER

Volume 519, Numbers 1–2, 26 July 1996

Journal of Organometallic Chemistry

Contents

Regular Papers

Reactivity of 17- and 19-electron organometallic complexes. Formation of bent sandwich 19-electron radical cation complexes of osmium and ruthenium
S.V. Kukharenko, V.V. Strelets (Chernogolovka, Russia), A.R. Kudinov, A.Z. Kreidlin, M.G. Peterleitner, L.I. Denisovich and M.I. Rybinskaya (Moscow, Russia) 1

NMR spectroscopic detection and structure of tetrakis(difluoromethyl)cuprate(III) and related compounds
R. Eujen, B. Hoge and D.J. Brauer (Wuppertal, Germany) 7

Alkyl-substituted indenyl titanium precursors for syndiospecific Ziegler–Natta polymerization of styrene
T.E. Ready, J.C.W. Chien and M.D. Rausch (Amherst, MA, USA) 21

Tin(IV) and organotin(IV) derivatives of anionic 4-acyl-5-pyrazolonato ligands: synthesis, spectroscopic characterization (IR, far-IR, ^{119}Sn Mössbauer, ^{1}H, ^{13}C and ^{119}Sn NMR) and behavior in solution. Crystal and molecular structure of *trans*-diphenylbis[1-phenyl-3- methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV)
F. Caruso (Roma, Italy), D. Leonesi, F. Marchetti (Macerata, Italy), E. Rivarola (Palermo, Italy), M. Rossi, V. Tomov (Poughkeepsie, NY, USA) and C. Pettinari (Macerata, Italy) 29

Tin for organic synthesis. Part 15. The use of 1,2-bis(trimethylstannyl)-1-alkenes in electrophilic destannylation reactions
M. Niestroj, W.P. Neumann and T.N. Mitchell (Dortmund, Germany). 45

η^2-Alkin-Komplexe des η^5-Cyclopentadienylnickel-1-norbornyls
H. Lehmkuhl (Mülheim a.d. Ruhr, Germany) und V. Dimitrov (Sofia, Bulgaria) 69

Coordinatively saturated olefin platinum(II) complexes containing two η^1-C-bonded groups
M.L. Ferrara, I. Orabona, F. Ruffo (Napoli, Italy) and V. De Felice (Campobasso, Italy). 75

Darstellung von η^3-Allyl-1-Norbornyl-Komplexen des Nickels und Palladiums
H. Lehmkuhl (Mülheim a.d. Ruhr, Germany) and V. Dimitrov (Sofia, Bulgaria) 83

Double ortho meta regiocontrolled functionalisation of tricarbonyl-(η^6-1-*tert*-butoxycarbonyl-2,3-dimethylbenzene)chromium; ^{17}O NMR study of saponification-elimination mechanism
S. Goetgheluck, J. Lamiot and J. Brocard (Villeneuve d'Ascq, France) 87

Mild and efficient preparation of alkynepentacarbonyldicobalt complexes containing the chiral (*R*)-(+)-Glyphos ligand
W.J. Kerr, G.G. Kirk (Glasgow, UK) and D. Middlemiss (Hertfordshire, UK) 93

Preparation of alkynepentacarbonyltriphenylphosphinedicobalt complexes using ultra violet light
J.C. Anderson, B.F. Taylor, C. Viney and G.J. Wilson (Sheffield, UK) 103

Auf dem Weg zu einem stabilen Germaethen $\rangle Ge{=}C \langle$, II: Erzeugung, Reaktivität und thermische Stabilisierung des Germaethens $Me_2Ge{=}C(GeMe_3)(SiMe^tBu_2)$
N. Wiberg and H.-S. Hwang-Park (München, Germany) 107

Metallorganische Verbindungen des Kupfers XII. Synthese und Struktur von Alkin-Komplexen mit Kupfer(I)-*tert.*-butoxid, Kupfer(I)-trifluormethansulfonat und Kupfer(I)-tetrafluoroborat; Alkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin
Y. Brussaard (Clausthal-Zellerfeld, Germany), F. Olbrich (Magdeburg, Germany) und U. Behrens (Hamburg, Germany) 115

Synthèse régiosélective par voie organométallique de vinylsilanes fonctionnels à partir de dérivés carbonylés α-éthyléniques α-triméthylsilylés
D. Mesnard, N. Hanaï et L. Miginiac (Poitiers, France) 125

Synthese und Reaktionsverhalten von $(R)(\eta^1\text{-}C_5Me_5)P{=}Co(CO)_3$
H. Lang, U. Eberle, M. Leise und L. Zsolnai (Heidelberg, Germany) 137

Synthesis of highly diastereo- and enantiomerically enriched tetracarbonyl(η^3-allyl)iron(1+) complexes for allylic substitutions with silyl enol ethers and silyl ketene acetals
D. Enders, U. Frank, P. Fey, B. Jandeleit and B.B. Lohray (Aachen, Germany). 147

Synthesis of dinuclear dicationic heterobridged gold(I) ring derivatives with bis(diphenylphosphines) and bihapto symmetric or asymmetric ligands containing heterocycles: ^{31}P NMR investigations
A. Burini, R. Galassi, B.R. Pietroni and G. Rafaiani (Camerino, Italy) 161

Gas phase ion/molecule reactions in phosphine/methylsilane mixtures
G. Cetini, L. Operti, R. Rabezzana, G.A. Vaglio and P. Volpe (Torino, Italy). 169

Synthesis and alkyne coordination chemistry of thiacycloalkynes
F.M. Kerton, G.F. Mohmand, A. Tersteegen, M. Thiel and M.J. Went (Canterbury, UK). 177

The synthesis and complexation of a ferrocene-based redox-active cryptand containing the phenanthroline unit
C.D. Hall and T.-K.-U. Truong (London, UK) 185

Electron transfer in the reactions of titanocene-bis(trimethylsilyl)acetylene complexes with 2,2′-bipyridine and 4,5-diazafluorene. The crystal structure of (4,5-diazafluorenyl)bis(pentamethylcyclopentadienyl)titanium(III)
P.T. Witte, R. Klein (Amsterdam, Netherlands), H. Kooijman, A.L. Spek (Utrecht, Netherlands), M. Polášek, V. Varga and K. Mach (Prague, Czech Republic) 195

Synthesis, crystal structure and characterization of the heterometallic tetranuclear butterfly cluster $[Ru_3IrH_2(CO)_{12}Cl]$
A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen (Joensuu, Finland) and J. Pursiainen (Oulu, Finland) 205
Imidazole and pyrazole complexes of phenyltin(IV) halides: The crystal structures of dichlorodiphenyl bis(pyrazole)tin(IV) and trichlorophenylbis(pyrazole)tin(IV)
J.S. Casas (Santiago de Compostela, Spain), E.E. Castellano (São Carlos, Spain), F.J.G. Barros (Badajoz, Spain), A. Sánchez, A.S. González, J. Sordo (Santiago de Compostela, Spain) and J. Zukerman-Schpector (São Carlos-SP, Brazil) 209
Complex stabilization of sesquifulvalene derivatives
M. Tamm, A. Grzegorzewski and I. Brüdgam (Berlin, Germany) 217
Expeditious synthesis of $Re_3(\mu\text{-}H)_3(CO)_{11}(NCMe)$
M.I. Bruce and P.J. Low (Adelaide, S.A., Australia) 221
The first CpOs half-sandwich complexes containing chalcogenido ligands
M. Herberhold, G.-X. Jin (Bayreuth, Germany), L.M. Liable-Sands and A.L. Rheingold (Newark, DE, USA) 223
Organometallic complexes for non-linear optics V. Syntheses and computationally-derived quadratic non-linearities of *trans*-$[Ru(C{\equiv}CC_6H_4R\text{-}4)Cl(dppm)_2]$ (R = H, NO_2, $C_6H_4NO_2$-4, $CH{=}CHC_6H_4NO_2$-4,(*E*)); X-ray crystal structure of *trans*-$[Ru(C{\equiv}CC_6H_4C_6H_4NO_2\text{-}4,4')Cl(dppm)_2]$
A.M. McDonagh, I.R. Whittall, M.G. Humphrey (Canberra, A.C.T., Australia), B.W. Skelton and A.H. White (Nedlands, W.A., Australia) . . . 229
Structural and NMR spectroscopic characterization of ferrocene-containing η^3-allylpalladium complexes
Y.J. Wu, Y.H. Liu (Zhengzhou, People's Republic of China), H.Z. Yuan and X.A. Mao (Wuhan, People's Republic of China) 237
A comparison of the reactions of PPh_2CH_2SR (R = Me, Ph) with alkyne-bridged dicobalt carbonyl complexes and with an iron dicobalt μ_3-thioxo carbonyl complex
A.J. Edwards, S.R. Mack, M.J. Mays, C.-Y. Mo, P.R. Raithby and M.-A. Rennie (Cambridge, UK) 243
Syntheses, molecular structure and reactivity of $(\eta^6\text{-toluene})Mn(CO)_xL_{3-x}$, PF_6
F. Rose-Munch, C. Susanne, C. Renard, E. Rose and J. Vaisserman (Paris, France) 253
Synthesis and reactivity of the cycloheptatrienyl-bridged bimetallic complexes $[M(CO)_3(\mu\text{-}\eta^6{:}\eta^1\text{-}C_7H_7)M'(CO)_2(\eta\text{-}C_5R_5)]$ (M = Cr, Mo or W; M' = Fe or Ru; R = H or Me)
E.S. Davies and M.W. Whiteley (Manchester, UK) 261
Aminozirconocenes: a new class of zirconocenes with a nitrogen atom directly bonded to an η^5-cyclopentadienyl (indenyl) ligand
H. Plenio and D. Burth (Freiburg, Germany) 269

Preliminary Communications
A comment on the formation of N–C bonds via reactions of anionic dinitrogen complexes with organic halides: X-ray crystallographic structure of *trans*-$[W(CN)(NN\overline{CHOCH_2CH_2CH_2})(dppe)_2]$
D.L. Hughes, S.K. Ibrahim, H.M. Ali and C.J. Pickett (Norwich, UK) 273
Influence of rotation between agostic structures on ethene interaction with a zirconocene polymerization site
J.A. Støvneng and E. Rytter (Trondheim, Norway) 277
Cationic 1,2,3-trimethoxybenzene manganese tricarbonyl complexes: structure and reactivity
V. Gagliardini, F. Balssa, F. Rose-Munch, E. Rose, C. Susanne and Y. Dromzee (Paris, France) 281

Book Reviews 285

Author Index 289

Subject Index 291

Conference Calendar 299

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.